# Overview of NEWAY Facilities



assembly plant, one API6A valve plant, three foundries, and one R&D center. Our newest assembly plant was expanded in 2013, and it now covers 35,000 square meters.

NEWAY has developed a sophisticated multi-plant As part of Neway's global strategy, to provide better management system operating one valve service to our customers, we have established our overseas subsidiaries in North America. Brazil. Netherlands, Italy, Singapore, and Dubai along with over 80 agents and distributors worldwide.

# Introduction of Foundries







As one of pressure-contained equipments in process control pipeline, valve castings' quality is most important for valve life, personnel safety and environment safety, especially for the high temperature and high pressure fields. So castings are always certified firstly by the strict customer before valve manufacturer are pre-qualified and approved as a qualify supplier.

competitive price, and to enable Neway remain a creditable

Comparing with most of other competitors, Neway owns two self foundries: one is mainly to produce big size sand castings by organic ester water glass sand cast process, and other is mainly to produce small size investment castings by loss wax cast process. So we can provide 100% castings with different weight from 1kg up to 11000kg by ourselves, monthly produce capacity is up to 1200 ton. And each foundry is equipped with all kind of quality inspection facilities, such as: spectrum instrument, nondestructive test machinery, mechanical capability testing equipment and so on. So we can monitor the whole process of valve manufacture to ensure the valve quality, delivery, and

## Technical Innovation

NEWAY technical research center utilizes the most advanced computer technology to improve the existing products and develop the new lines, this includes a highly educated and trained engineering team and a comprehensive internal 📑 computer network which links the entire operations of desigh, manufacturing and administration.

NEWAY design philosophy is to develop a safe and cost-efficient valve, we introduced the latest Ansys, Fe-safe, CF-design and NX software for all our new product design research which include the advanced finite element analysis to virtually verify the new design prior to production, this has resulted in dramatically reducing the new product design time and ensure a safe and cost efficien final product.

NEWAY technical personnel are always ready to offer on line or on site technical training and support for all of its distributors, agents and en



The latest computer technology are also widely

# Advanced Manufacturing



blied in NEWAY for valve manufacturing, this includes a large number of numeric control machines (Machining center, CNC horizontal











# Nuclear Valve Quality Control

NEWAY developed an extensive and advanced inspection and test facility to control the quality from rough castings or forgings to final products. These facilities enable us to do Radio graphic test, Ultra-sonic test, Dye-penetrate test, Magnetic test, Positive Material Identifier (PMI), Impact test, Tensile test, Hardness test, Fire safe test, Cryogenic test, Vacuum test, Low fugitive emission test, High pressure gas test, High temperature test and Hydro-static test.


















## Nuclear Valve Product Presentation









> Split Wedge Gate Valve > Parallel Slide Gate Valve Design criteria: RCC-M, ASME BPVC-III, ASME B16.34



### Structural feature:

- > Body to bonnet connection can select bolted bonnet and pressure > To the risk of abnormal pressure bonnet, according to actual working seal bonnet.
- Optional seal welding for screwed bonnet connection, sealing is more reliable and can realize the disassembling maintenance. > Fully guided disc, hardfaced, wear-resistant for longer usage life.
- Stem with the form of packing seal, strict requirement to medium leakage, optional choose bellow and packing double sealing form, including metal bellow products are imported from Germany.
- > To parallel slide gate valve, mechanical limit opening and closing position, precisely control the opening and closing position of

Safety class	1, 2, 3, non-nuclear grade
Nominal diameter	≤600mm
Operating temperature	-196~370°C
Design pressure	≤25MPa
Seismic category	I
Type of connection	Welding, Flange
Type of actuate	Manual, Pneumatic, Electric
Material of the main body	Carbon steel, Alloy steel, Stainless ste
Structural type	Split(C-Type), Parallel(V/W-Type)

- condition and the function requirements of valve, matching various kind of
- To the condition of high temperature and pressure condition valve, stem can choose disc spring elastic compensation institution.
- > Optional cobalt free hard facing.
- > Mechanical position indicator, mechanical locking devices, the middle of packing is leaking device, the bonnet is designed with purging and testing
- > Optional packing dynamic preload device, prolong maintenance cycle, use multilayer disc spring group to dynamic preload.

### Design code: RCC-M, ASME BPVC-Ⅲ, ASME B16.34 The range of products:

Security level
Nominal diameter
Operating temperature
Design pressure
Seismic category
Type of connection
Material of the valve b

Lift Check Valve

> Fully Bonnet-guided and Control the length of guide to prevent unsmooth stagnation of opening and closing the Nominal diameter <50mm Operating temperature -196~370°C > Hard faced disc piston, Wear-resistant for longer usage Design pressure

Low pressure differential to open and low pressure to seal; Type of connection Socket Welding, Butt welding, Flange the piston sealing performance can be tested in line. > Optional Cobalt Free Hard Facing.

Structural feature:

### Design code: RCC-M, ASME BPVC-Ⅲ, ASME B16.34 Swing Check Valve The range of products:

Design pressure

Security level

# > Body to bonnet connection: Bolted Bonnet and pressured > Design of Built-in pin decreases the leakage path in body

Structural feature

and increases readability.

> Body to bonnet connection: Bolted Bonnet, Optional

Threaded connection with standby lip seal welding is more

reliable and can realize the disassembling maintenance.

screwed with seal welds or Pressured seal bonnet.

- > Structure of anti-rotary disc realizes the seal and anti-rotary of disc.
- Optional Cobalt Free Hard Facing.
- Switch position indicator, quick-opening and Material of the valve body Carbon steel, Alloy steel, Stainless steel slowly-closing are elected extra by demand.

### iclear Globe Valve

### T-Type Globe Valve > Y -Type Globe Valve





- > Body to bonnet connection can select bolted bonnet, optional screwed bonnet with seal welding or pressure seal bonnet.
- Optional seal welding for screwed bonnet connection, sealing is more reliable and can realize the disassembling maintenance. Fully guided disc, hard-faced, wear-resistant for longer usage life.
- Connection disc and stem by disc cover, with non-rotating disc, restrict the disc to rotate, while allowing tiny movement to seal in the
- Stem with the form of packing seal, strict requirement to medium leakage, optional choose bellow and packing double sealing form, including metal bellow products are imported from Germany. > Optional cobalt free hard facing.

### Design criteria: RCC-M, ASME BPVC-Ⅲ, ASME B16.34 The range of products:

Safety class	1, 2, 3, non-nuclear grade
Nominal diameter	≤600mm
Operating temperature	-196~370°C
Design pressure	≤25MPa
Seismic category	I
Type of connection	Welding, Flange
Type of actuate	Manual, Pneumatic, Electric
Material of the main body	Carbon steel, Alloy steel, Stainless ste
Structural type	T-type, Y-type, Angle type, Z-type,3 w

# > Mechanical position indicator, mechanical locking devices, the middle of

- Optional packing dynamic preload device, prolong maintenance cycle, use multilaver disc spring group to dynamic preload.
- Y type flow, low flow resistance, high flow performance.
- Valve opening is small, compact structure, small size, light weight,
- ▶ The space of installation, operation and maintenance space is small, suit for requiring higher dimensional space.

bon steel, Alloy steel, Stainless steel

ype, Y-type, Angle type, Z-type,3 way type

2 000	-
	Nomina
13 ( ) =	Operation
	Design
	Seismic
1	Type of
	Materia

### > Axial Flow Check Valve Design code: RCC-M, ASME BPVC-III, ASME B16.34 The range of products Nuclear safety level 1 level 2 level 3

Operating temperature -196~370°C

Type of connection Butt welding, Flange

Seismic category I

≤25MPa

# ≥15mm ting temperature -196~370°C n pressure of connection Socket Welding, Butt welding, Flange al of the valve body Carbon steel, Alloy steel, Stainless steel by demand.

Design pressure ≤25MPa

ype of connection Wafer ,Flange

Seismic category I

# Structural feature:

- > Both the body and seat design are suitable for medium flowing. The design features ensure flow efficiency of the service medium and minimize pressure loss.
- > Because of the features of the spring load, low mass disc and shorter travel, the disc can be closed as quickly as
- > Closed steadily and No water hammer. Optional Cobalt Free Hard Facing.
- > Manual switch and check online for seals are elected extra

### Structural feature: Dual Plate Check Valve Design code: RCC-M, ASME BPVC-III, ASME B16.34 > Short in length, Small size and Light in weight.

### Valve bodies are a one-piece and short cylinder design Nuclear safety level 1, level 2, level 3 the non-nuclear grade with no holes through body wall, there is no need for external pins or plugs and no leakage toward outside. minal diameter perating temperature -196~370°C > Two high torsion springs ensure valve closure as quick as

possible, and reduces water hammer. > Grinding by special purpose machine, valve is sealed with plane and has high interchangeability

### > Optional cobalt free hard facing.

Design criteria: RCC-M, ASME BPVC-III, ASME B16.34

Nominal pressure Class 150~Class 2500

Type of connection Socket Welding, Butt welding, Flange

Material of the valve Carbon steel, Alloy steel, Stainless steel

Type of actuate Manual ,pneumatic ,electric

Operating temperature -196~370°C

### Manual ball valve

The range of products:

Nominal diameter

Seismic category

Structural type

Security level



# > Electric actuator ball valve



# > Pneumatic actuator ball valve



### Structural feature:

> Structure is simple and reliable, little installation space, small flowing resistance. > Top-Entry, body/bonnet connection is bolted with male/female and metal/metal contact easy maintenance quick disassembly (patent protected) remove the ball by

> The ball and stem is integral one-piece designed for ND≤50, seal is more reliable.

- > Disc spring or wave spring is designed for seat preloaded, simple structure, Reduce the hidden trouble of the metal parts into pipeline.
- > Soft seal or metal seal structure according to the working condition. > Cobalt hard facing or cobalt free hard facing for metal seat ball valve.

# uclear Butterfly Valve

### Concentric butterfly valve Design criteria:RCC-M, ASME BPVC-III, ASME B16.34 The range of products:

Nuclear safety level 1, level 2, level 3,



> Simple structure, reliable sealing, long service life, easy maintenance > Frameless type seat, lower operating torque. > Stem triple offset seal to resist outside leakage.

Anti-blowout shaft.

Structural feature

Type of actuate Manual ,pneumatic ,electric > No pin to resist internal leakage. Material of body Carbon steel, Alloy steel, Stainless steel

# Double offset butterfly valve Design criteria: RCC-M, ASME BPVC-III, ASME B16.34

lominal diameter ≤1400mm

Operating temperature -35~200°C

Type of connection Wafer, Flange ,Lug

Design pressure ≤2.0MPa

Seismic category I



Structural feature: Nuclear safety level 1.level 2.level 3. Security level > Lower torque and Low friction. Nominal diameter ≤3000mm > Replaceable seat. Operating temperature -29°C~200°C Design pressure ≤ Class 600 > Long service life, easy maintenance. Seismic category I > Zero leakage in both directions pressure. Type of connection Wafer, Flange ,Lug,Butt-Welding Type of actuate Manual ,pneumatic ,electric Material of body Carbon steel, Alloy steel, Stainless steel

# > Triple offset butterfly valve Design criteria: RCC-M, ASME BPVC-Ⅲ, ASME B16.34



The range of products:

the non-nuclear grade Nominal diameter ≤2000mm Operating temperature -46°C~450°C Design pressure ≤ Class 2500 Seismic category I Type of connection Wafer, Flange ,Lug,Butt-Welding Type of actuate Manual ,pneumatic ,electric Material of body Carbon steel, Alloy steel, Stainless steel

### General sealing ring, easy maintenance. > Zero leakage in both directions and total pressure.

Structural feature:

> Lower torque, easy operation. One-piece shaft, high strength and safety.

Prevent the shaft blowout protection function > Wear-resistant bearing for longer service life

> Instruction: Users choose metal+graphite or pure

metal sealing ring structure according to actual

# Nuclear Valve Supply Reference Introduction

Valves designed in compliance with RCC-M Standard









> Valves designed in compliance with ASME Standard




























TAISHAN NNP 24inch > YANGJIANG/FANGCHENGGANG > YANGJIANG/FANGCHENGGANG Class 600 Gate Valve NNPs DN550,PN64 Vacuum NNPs LOT45EA Actuator Gate Valve Class 150 Top Entry Ball Valve





> TAISHAN NNP No.1/2 M41 DN25

## Nuclear Valve Qualification

> Civil Nuclear Safety Equipment Design/ Manufacturing License by China NNSA

民用极安全设备设计许可证 民用核安全设备制造许可证 (周祖安征宁 8 (16) 03 号) (国核安征学2 (16) 03号) 单位名称: 郑州建成阊门股份有限公司 单位名称: 苏州在南州门股份有限公司 运定代表人。王葆庆 单位住所,江苏省苏州市苏州新区周江路 999 号 设备周阳。闽门 根安全统斯,根安全2、3 统 单位住所。江苏省苏州市苏州新江湘江路 999 中 设备规则。周门 据安全规则。据安全之、3 统 医胸间乳用核安全设备设计活动开展情况。认为苏州组成阀门敷持 证期间乳用核安全设备制造活动开展情况。认为苏州组成 

# ASME N Certificate for



# Nuclear Valve



# > ASME NPT Certificate for



## ISO 9001 by DNV



Nuclear Valve R&D

superior performance and reliable quality.

Fluid analysis

vanced Methods And Software

Innovation design process ?Simulation-driven design

## TS by AQSIQ

CAE analysis tools, including ANSYS, FE-safe, CF-Design and FLUENT. In valve conceptual design phase, the simulation analysis for fluid, stress, temperature, thermal stress, sealing performance, seismics and fatigue, was performed to ensure



Stress analysis



### Temperature and thermal stress analysis

## > Sealing performance analysis

Valve fatigue analysis

### Valve seismic analysis



# anced Qualification Test System

## Nuclear valve qualification test system can meet functional qualification requirements for check valve and on/off valve of Nuclear Power Plants, such as Hua Long 1 Project, AP1000 ,CAP1400 and EPR. The qualification test such as life test, thermal cycle test for on/off valve, cold and hot alternation test, the flow interruption test for on/off valve and check valve is done with simulation of nuclear power plant condition.




### D Strength And Investment Of Nuclear Valve

### Introduction to R&D engineers

There are 276 R&D engineers, approximately 13% of the total. The R&D team consists of 17 senior engineers, 95 intermediate engineers and 101 junior engineers, out of which 22 engineers focus on developing nuclear power valves, including 2 senior engineers, 7 intermediate engineers and 13 junior engineers.

### R&D investment

Neway attaches great importance to R&D. The investment throughout previous years: RMB 73.64 million in 2015; RMB 82.47 million in 2014; RMB 74.41 million in 2013; RMB 58.77 million in 2012; RMB 49.94 million in 2011.



# Nuclear Valve Supply Reference List

Year	Project Site	NPP	Size	Pressure	Operating Mode	Valve Type	Safety Class	Q'TY
2018	France	ITER Organization Project	DN25 DN40 DN50	Class 150	Manual,On-off	Globe	NC	358
2018	France	EDF UTO MRO	DN15,DN40	Class 600 Class 1500	Manual	Globe, Y-type Globe	NC	6
2017	KOREA	KOREA CFVS Venting Project	DN15,DN25, DN50,DN200 DN400	Class 150	Manual	Globe Butterfly Safety Valve	NC	402
2017	UK	UK HPC Project	DN8,DN15 DN25,DN50	3~250 Bar	Manual	Globe Valve	Q2,Q3,NC	2062
2016	Fangchenggang China	Fangchenggang Project unit 3-4 LOT190Ga Nuclear Bellows Globe Valve	DN8,DN15 DN20,DN25 DN40,DN50 DN80,DN100	Class 150 Class 2500	Manual Power-driven Far-driven	Globe Valve Bellows Globe Valve Lifting Check Valve	SC-2,SC-3 NNS(S),NNS	3556
2016	Fangchenggang China	Fangchenggang Project unit 3-4 LOT190Gb Nuclear Globe & Lift Check Valve	DN8,DN15 DN20,DN25 DN40,DN50 DN80,DN100	Class 150 Class 2500	Manual Power-driven Far-driven	Globe Valve Lifting Check Valve	SC-2,SC-3 NNS(S),NNS	5740
2016	Guangdong China	Yangjiang Nuclear Power Plant unit 5-6 Reserved diesel generator set	DN15,DN20 DN25,DN40 DN50	PN16,PN63	Manual	Check,Globe Ball Valves	Non-Safety	112
2016	Guangdong China	Yangjiang Nuclear Power Plant unit 5-6 Reserved diesel generator set	DN8,DN15 DN20,DN25 DN300,DN32 DN40	Class 150,300 Class 400,600 Class 1500 PN64	Manual	Safety Valve	Non-Safety	1556
2016	Guangdong China	Lingdong Nuclear Power Co., Ltd.	DN100,DN200 DN25	Class 300 PN16	Manual	Check Butterfly Valves	Non-Safety	41
2016	Karachi Pakistan	PakistanK2-K3 Project	DN100,DN20 DN25,DN40 DN50	Class 150 Class 300	Manual	Check Globe Valves	Non-Safety Class 3	152

2016	Lufeng China	Lufeng unit 1&2 LOT45C High Pressure Gate, Check Valve	DN 125 ↓ DN 750	PN 40 PN 150	Power-driven Pneumatic	Gate Check Valve	Non-Safety	118
2016	Karachi Pakistan	PakistanK2-K3 Project Emergency Diesel Generator	DN 20 ≀ DN 100	Class 150 l Class 300	Manual	Check Globe Valves	Nuclear Class 3	108
2016	Haiyang China	PV00 Gate, Globe and Check Valve of Haiyang unit 3&4	DN 25	Class 150	Manual	Gate,Globe Check Valve	Non-Safety	42
2016	Lufeng China	PV00 Gate, Globe and Check Valve of Lufeng unit 1&2	DN 25	Class 150	Manual	Gate,Globe Check Valve	Non-Safety	42
2016	Dongguan China	China Spallation Neutron Source project water cooling system valve CSNS target station	DN 10 2 DN 50	Class 150	Manual	Globe Valve	Non-Safety	36
2016	Shenzhen China	CNPRI Experiment Project Valves	DN 25 2 DN 65	Class 150 Class 2500	Power-driven Manual	Globe,Control Safety Valve	Non-Safety	23
2016	Shandong China	Huaneng shandong shidao bay high temperature gas cooled reactor NPP emergency diesel generator auxiliary valves	DN 8 ≥ DN 80	Class 150 Class 400	Power-driven Manual	Ball,Globe Check Safety Valve	Nuclear Class 3	212
2015	Liaoning China	Hongyanhe 5&6 LOT45Ea Conventional Island Gate, Motorized globe, Swing check valve	DN 20 DN 700	PN 16 } PN 160	Power-driven Manual	Gate,Globe Check Valve	Non-Safety	560
2015	Dongguan China	China Spallation Neutron Source project water cooling system valve CSNS target station	DN 10 DN 50	Class 150	Manual	Bellows Globe Check Valve	Nuclear Class 3	221
2015	Beijing China	Type II voltage regulator testing valve	DN 15 DN 25 DN 40	Class 900 Class 2500	Manual	Globe,Check Control,Safety Valve	Non-Safety	41
2015	Fujian China	Fuqing NPP 5&6 Check Valve	DN 50 DN 75 DN 100	PN 16	<u>-</u>	Check Valve	Nuclear Class 3	48
2015	Guangdong China	Yangjiang Nuclear Power Plant unit 5-6 Reserved diesel generator set	DN 15 2 DN 50	PN 10 } PN 40	Manual	Globe,Check Ball,Safety Valve	Non-Safety	214
2015	Karachi Pakistan	PakistanK2-K3 Project	DN 8 DN 50	Class 150 Class 2100	Manual	Globe Valve	Nuclear Class 3	1058
2015	Liaoning China	Hongyanhe 5&6 LOT190 Ic Nuclear Manual Ball Valve	DN 15 DN 50	Class 150	Manual	Ball Valve	Nuclear Class 2,3	417
2015	Liaoning China	Hongyanhe 5&6 LOT190 Gb Nuclear Island class 2,3 manual Globe, lift Check valve	DN 8 2 DN 50	Class 150 Class 1500	Manual	Globe Check Valve	Nuclear Class 2,3	1942
2015	Liaoning China	Hongyanhe 5&6 LOT190 Gc Nuclear Island Gate, Globe, Check valve	DN 8 1 DN 250	Class 150 Class 1500	Power-driven Manual	Gate,Globe Check Valve	Nuclear Class 3 and non-nuclear	2621
2014	Shandong China	The non-nuclear manual Gate valves, Globe valves and Check valves in the pressurized water reactor demonstration project unit1&2 PV33 by SNPTC	DN 80 DN 600	Class 150	Manual	Gate,Globe Check Valve	Nuclear Island Non-nuclear	322
2014	Shandong China	The non-nuclear manual stop valve and Check valve (DN≤50 ) of Lufeng unit 1&2 PV32	DN≤50	Class 150 l Class 2100	Manual	Globe Check Valve	Nuclear Island Non-nuclear	2944
2014	Shandong China	The non-nuclear manual stop valve and Check valve (DN≤50 ) of Haiyang unit3&4 PV32	DN≤50	Class 150 Class 2100	Manual	Globe Check Valve	Nuclear Island Non-nuclear	2902
2014	Guangdong China	Yangjiang Nuclear Power Plant valve spare parts	Packing Gasket Gate	PN 10 } PN 160	-	Spare Parts	Non-Safety	123
2014	Guangdong China	Daya bay valve replacement	DN 150	PN 16	Manual	Butterfly Valve	Non-Safety	30
2014	Guangdong China	Yangjiang Nuclear Power Plant valve spare parts	Packing Gasket Gate	PN 10 } PN 160	-	Spare Parts	Non-Safety	32
2014	Guangdong China	Yangjiang Nuclear Power Plant valve replacement	DN 15	PN 10	Manual	Forged Globe	Non-Safety	25
2013	Shandong China	The stainless steel pipe valve of Type II pile loop - Natural circulation test	DN 25 DN 80	PN 64	Manual	Check,Safety Valve	Non-Safety	30
2013	Guangdong China	The valve of the non-active emergency high cooling water system development demonstration projects	DN 15 } DN 150	PN 64	Manual, Power-driven	Gate,Globe,Check Ball,Butterfly Valve	Nuclear Class 2,3	35
2013	Guangdong China	The spare parts of the valves and the seals in the Yangjiang nuclear power station	DN 15 { DN 550	PN 10 { PN 160	Manual, Power-driven	Gate,Globe Check Valve	Non-Safety	53
2011	Gansu China	Nuclear waste reprocessing	DN 100 DN 800	PN 10 PN 64	Manual	Gate Valve	Non-Safety	25
2010	Guangdong China	Globe,lift Check valve in the Nuclear Island of Yangjiang5-6 LOT190EG-3	DN 8 ₹ DN 80	PN 10	Manual	Globe Check Valve	Nuclear Class 3	2305
2010	Guangxi China	Globe,lift Check valve in the Nuclear Island of Port of Fangcheng1-2 LOT190EG-3	DN 8 ₹ DN 80	PN 10 PN 160	Manual	Globe Check Valve	Nuclear Class 3	2220
2010	Guangdong China	Gate, Globe, Check valves in the Conventional Island of Taishan unit 1-2 M65/M66	DN 15 V DN 400	PN 10 PN 160	Manual, Power-driven	Gate,Globe Check Valve	Non-Safety	3584

Lufeng unit 1&2 LOT45C DN 125 PN 40 Manual Gate Non Sefety 440

# **W** NEWAY **UCLEAR VALVE** Countries across the world have put the first priority on developing nuclear power for the reason that it has been recognized as one of the cleanest energy at present. Neway Valve has the civil nuclear safety equipment design / manufacturing license issued by China NNSA, the ASME N & NPT certificate issued by ASME authentication center and a complete quality assurance system to guarantee a high-quality solution of nuclear valves. So far, Neway has offered nuclear valves in various domestic nuclear projects and experimental reactors. With the professional nuclear valve R&D team and advanced laboratory equipment. Neway Valve will be dedicated in realizing localization of nuclear power equipment in the long-run.

As one of the leading valve manufacturers in the world, Neway employs the latest state of art and specialises in the development of superior and innovative product through our intensive R&D programs along with our management commitment to excellence and to the engineering of product to provide the valve solutions to meet the industrial needs.

Complete Solutions for Industrial Valves